



Adenosine Deaminase 2 (ADA2) Antibody


Catalogue No.: abx129047




Western blot analysis of recombinant Human ADA2.




IHC-P analysis of Human Stomach Tissue, with DAB staining, using Human ADA2 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Prostate Cancer Tissue, with DAB staining, using Human ADA2 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Skin Cancer Tissue, with DAB staining, using Human ADA2 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Breast Cancer Tissue, with DAB staining, using Human ADA2 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Datasheet

Version: 3.0.0
Revision date: 23 Feb 2025



IHC-P analysis of Human Colorectal Cancer Tissue, with DAB staining, using Human ADA2 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



Adenosine Deaminase 2 (ADA2) Antibody is a Rabbit Polyclonal against Adenosine Deaminase 2 (ADA2).

Target:	Adenosine Deaminase 2 (ADA2)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx167165 - Recombinant Human ADA2 Protein (Ile30-Lys511) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q9NZK5 (UniProt , ExPASy)

Datasheet

Version: 3.0.0
Revision date: 23 Feb 2025



Gene Symbol: ADA2

GeneID: [51816](#)

OMIM: [182410](#)

HGNC: 1839

String: [9606.ENSP00000382731](#)

Buffer: PBS, pH 7.4, containing 0.02% sodium azide, 50% glycerol.

Specificity: Cross-reacts with Mouse and Rat ADA2.

Concentration: 1 mg/ml

Note: This product is for research use only.

For Reference Only