



Topoisomerase III (TOP3) Antibody


Catalogue No.: abx128459




Western blot analysis of the recombinant protein.




IHC-P analysis of Human Glioma Tissue, with DAB staining, using Rabbit Anti-Human TOP3 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Prostate Tissue, with DAB staining, using Rabbit Anti-Human TOP3 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Cerebrum Tissue, with DAB staining, using Rabbit Anti-Human TOP3 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Colorectal Cancer Tissue, with DAB staining, using Rabbit Anti-Human TOP3 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Datasheet

Version: 4.0.0
Revision date: 23 Apr 2025



IHC-P analysis of Human Liver Tissue, with DAB staining, using Rabbit Anti-Human TOP3 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Prostate Cancer Tissue, with DAB staining, using Rabbit Anti-Human TOP3 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Topoisomerase III Antibody is a Rabbit Polyclonal against Topoisomerase III.

Target:	Topoisomerase III (TOP3)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx166939 - Recombinant Human TOP3(Lys35-Ser179)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q13472 (UniProt , ExPASy)

Datasheet

Version: 4.0.0

Revision date: 23 Apr 2025



Gene Symbol: TOP3A

GeneID: [7156](#)

OMIM: [601243](#)

HGNC: 11992

KEGG: hsa:7156

Ensembl: ENSG00000177302

String: [9606.ENSP00000442336](#)

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only