


Suppressor of Cytokine Signaling 4 (SOCS4) Antibody

Catalogue No.: abx005669



Western blot analysis of various lysates, using SOCS4 Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 30s.

SOCS4 Antibody is a Rabbit Polyclonal Antibody against SOCS4.

Target:	Suppressor of Cytokine Signaling 4 (SOCS4)
Clonality:	Polyclonal
Reactivity:	Human, Mouse
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	ELISA: 1 µg/ml, WB: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	A synthetic peptide corresponding to a sequence within amino acids 340-440 of human SOCS4.
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q8WXH5 (UniProt , ExpASY)
Gene Symbol:	SOCS4
GeneID:	122809

Datasheet

Version: 2.0.0
Revision date: 20 Jan 2025



NCBI Accession: NP_543143.1

KEGG: hsa:122809

String: [9606.ENSP00000378855](#)

Molecular Weight: Calculated MW: 51 kDa
Observed MW: 51 kDa

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: This product is for research use only.

For Reference Only