



Heterogeneous Nuclear Ribonucleoprotein K (HNRNPK) Antibody


Catalogue No.:abx001426



Western blot analysis of extracts of various cell lines, using HNRNPK antibody (abx001426) at 1/1000 dilution.




Immunohistochemistry of paraffin-embedded rat lung using HNRNPK Antibody (abx001426) at dilution of 1/100 (40x lens).



Immunohistochemistry of paraffin-embedded human esophagus using HNRNPK Antibody (abx001426) at dilution of 1/100 (40x lens).




Immunohistochemistry of paraffin-embedded mouse heart using HNRNPK Antibody (abx001426) at dilution of 1/100 (40x lens).




Immunohistochemistry of paraffin-embedded rat lung using HNRNPK Antibody (abx001426) at dilution of 1/200 (40x lens).






Immunohistochemistry of paraffin-embedded rat liver using HNRNPK Antibody (abx001426) at dilution of 1/200 (40x lens).




Immunohistochemistry of paraffin-embedded rat brain using HNRNPK Antibody (abx001426) at dilution of 1/200 (40x lens).



Immunohistochemistry of paraffin-embedded human esophagus using HNRNPK Antibody (abx001426) at dilution of 1/200 (40x lens).



Immunohistochemistry of paraffin-embedded mouse esophagus using HNRNPK Antibody (abx001426) at dilution of 1/200 (40x lens).




Immunohistochemistry of paraffin-embedded mouse heart using HNRNPK Antibody (abx001426) at dilution of 1/200 (40x lens).

Datasheet

Version: 2.0.0 Revision date: 25 Nov 2024





Immunofluorescence analysis of MCF-7 cells using HNRNPK antibody (abx001426). Blue: DAPI for nuclear staining.

HNRNPK Antibody is a Rabbit Polyclonal antibody against HNRNPK. This gene belongs to the subfamily of ubiquitously expressed heterogeneous nuclear ribonucleoproteins (hnRNPs). The hnRNPs are RNA binding proteins and they complex with heterogeneous nuclear RNA (hnRNA). These proteins are associated with pre-mRNAs in the nucleus and appear to influence pre-mRNA processing and other aspects of mRNA metabolism and transport. While all of the hnRNPs are present in the nucleus, some seem to shuttle between the nucleus and the cytoplasm. The hnRNP proteins have distinct nucleic acid binding properties. The protein encoded by this gene is located in the nucleoplasm and has three repeats of KH domains that binds to RNAs. It is distinct among other hnRNP proteins in its binding preference; it binds tenaciously to poly(C). This protein is also thought to have a role during cell cycle progession. Several alternatively spliced transcript variants have been described for this gene, however, not all of them are fully characterized.

Target: Heterogeneous Nuclear Ribonucleoprotein K (HNRNPK)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000, IHC-P: 1/50 - 1/200, IF/ICC: 1/50 - 1/200. Not tested in IHC-F. Optimal

dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 1-280 of human

hnRNP K.

Isotype: IgG

Form: Liquid

Purification: Purified by affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: P61978 (UniProt, ExPASy)

Datasheet

Version: 2.0.0 Revision date: 25 Nov 2024



Gene Symbol: HNRNPK

GeneID: <u>3190</u>

NCBI Accession: NP_112552.1

KEGG: hsa:3190

String: <u>9606.ENSP00000365439</u>

Molecular Weight: Calculated MW: 51 kDa

Observed MW: 60 kDa

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: This product is for research use only.

4 of 4