



Hydroxyacyl-CoA Dehydrogenase (HADH) Antibody

Catalogue No.: abx233747



WB analysis of HepG2 cells, using HADH antibody (1/1000 dilution).



IHC-P analysis of human liver cancer tissue, using HADH antibody (1/100 dilution).

HADH Antibody is a Rabbit Polyclonal against HADH.

Target: Hydroxyacyl-CoA Dehydrogenase (HADH)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IHC

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000, IHC: 1/50 - 1/200. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: hydroxyacyl-Coenzyme A dehydrogenase

Isotype: IgG

Form: Liquid

Purity: ≥ 95% (SDS-PAGE)

Datasheet

Version: 2.0.0

Revision date: 28 Mar 2025



Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q16836 (UniProt , ExPASy)
KEGG:	hsa:3033
String:	9606.ENSP00000474560
Molecular Weight:	Observed MW: 33 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only