



Intercellular Adhesion Molecule 2 / CD102 (ICAM2) Antibody

Catalogue No.: abx234105



WB analysis of Jurkat cells, using ICAM2 antibody (1/500 dilution).



IHC-P analysis of human breast cancer tissue, using ICAM2 antibody (1/50 dilution).

ICAM2 Antibody is a Rabbit Polyclonal against ICAM2.

Target:	Intercellular Adhesion Molecule 2 / CD102 (ICAM2)
Clonality:	Polyclonal
Reactivity:	Human, Mouse, Rat
Tested Applications:	ELISA, WB, IHC
Host:	Rabbit
Recommended dilutions:	WB: 1/500 - 1/2000, IHC: 1/20 - 1/200. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	intercellular adhesion molecule 2
Isotype:	IgG
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)

Datasheet

Version: 2.0.0
Revision date: 12 Mar 2025



Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	P13598 (UniProt , ExPASy)
Gene Symbol:	ICAM2
GeneID:	3384
OMIM:	146630
HGNC:	5345
KEGG:	hsa:3384
Ensembl:	ENSG00000108622
String:	9606.ENSP00000415283
Molecular Weight:	Observed MW: 55-80 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only