




General Transcription Factor IIH, Polypeptide 2-Like Protein (GTF2H2C) Antibody

Catalogue No.: abx026255



Component of the core-TFIIF basal transcription factor involved in nucleotide excision repair (NER) of DNA and, when complexed to CAK, in RNA transcription by RNA polymerase II (By similarity).

Target: General Transcription Factor IIH, Polypeptide 2-Like Protein (GTF2H2C)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 1/1000, IHC-P: 1/10 - 1/50, IF/ICC: 1/10 - 1/50. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.

Datasheet

Version: 2.0.0
Revision date: 05 Dec 2024



Conjugation:	Unconjugated
Immunogen:	KLH-conjugated synthetic peptide between 314-343 amino acids from the C-terminal region of human GTF2H2C.
Isotype:	IgG
Form:	Liquid
Purification:	Purified through a protein A column, followed by peptide affinity purification.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q6P1K8 (UniProt , ExPASy)
NCBI Accession:	NP_001035955.1, NP_001092198.1
KEGG:	hsa:728340, hsa:730394
String:	9606.ENSP00000422907
Molecular Weight:	Calculated MW: 44.5 kDa
Buffer:	PBS containing 0.09% sodium azide.
Note:	This product is for research use only.

For Reference Only