


Datasheet


Version: 1.0.0
Revision date: 06 Oct 2024

Interleukin 17D (IL17D) Antibody

Catalogue No.: abx432860



abx432860 (0.3 µg/ml) staining of Human Adipose lysate (35 µg protein in RIPA buffer).
Detected by chemiluminescence.



abx432860 (5 µg/ml) staining of paraffin embedded Human Colon. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.

IL-17D Antibody is a Goat Polyclonal antibody against IL-17D.

Target: Interleukin 17D (IL17D)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: P-ELISA, WB, IHC

Host: Goat

Recommended dilutions: P-ELISA: 1/128000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx617053](#) - Internal region (near C-Terminus): C-EKDADSINSSIDK

Isotype: IgG

Form: Liquid

Purification: Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Datasheet

Version: 1.0.0

Revision date: 06 Oct 2024



Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Gene Symbol: IL17D

GeneID: [53342](#)

NCBI Accession: NP_612141.1

Buffer: Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.

Concentration: 0.5 mg/ml

Note: This product is for research use only.

For Reference Only