



B-Lymphocyte Antigen CD19 (CD19) Antibody


Catalogue No.: abx130697




Western blot analysis of Human Raji Cells.



Western blot analysis of (1) Wild-type Raji cell lysate, and (2) CD19 knockout Raji cell lysate, using Rabbit Anti-Mouse CD19 Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Mouse antibody ([abx400001](#), 0.2 µg/ml).



Western blot analysis of recombinant Mouse CD19.



IHC-P analysis of Mouse Tissue, with DAB staining.

Cluster Of Differentiation 19 Antibody is a Rabbit Polyclonal against Cluster Of Differentiation 19.

Target: B-Lymphocyte Antigen CD19 (CD19)

Clonality: Polyclonal

Reactivity: Mouse

Datasheet

Version: 3.0.0
Revision date: 12 Mar 2025



Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	CD19 (Arg19-Gly287)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P25918 (UniProt , ExPASy)
KEGG:	mmu:12478
String:	10090.ENSMUSP00000032968
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only