



Noggin (NOG) Antibody


Catalogue No.: abx132076




Western blot analysis of Rat Placenta Tissue, using Rabbit Anti-Rat TFF2 Antibody (3 µg/ml) and HRP-conjugated Rabbit Anti-Mouse antibody ([abx400002](#), 1:5000 dilution).




Western blot analysis of the recombinant protein.



IHC-P analysis of Human Glioma Tissue, with DAB staining.



IHC-P analysis of Human Breast Cancer Tissue, with DAB staining.



IHC-P analysis of Human Liver Cancer Tissue, with DAB staining.

Datasheet

Version: 1.0.0
Revision date: 27 Jul 2024



Noggin Antibody is a Mouse Monoclonal against Noggin.

| | |
|-------------------------------|--|
| Target: | Noggin (NOG) |
| Clonality: | Monoclonal |
| Reactivity: | Human |
| Tested Applications: | WB, IHC, IF/ICC |
| Host: | Mouse |
| Recommended dilutions: | WB: 0.5-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user. |
| Conjugation: | Unconjugated |
| Immunogen: | Gln28-Cys232 |
| Isotype: | IgG _{2b} Kappa |
| Form: | Liquid |
| Purification: | Purified by Protein A and Protein G affinity chromatography. |
| Storage: | Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles. |
| UniProt Primary AC: | Q13253 (UniProt , ExpASY) |
| Gene Symbol: | NOG |
| GeneID: | 9241 |
| OMIM: | 184460 |
| HGNC: | 7866 |
| KEGG: | hsa:9241 |
| Ensembl: | ENSG00000183691 |
| String: | 9606.ENSP00000328181 |
| Buffer: | 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol. |

Datasheet

Version: 1.0.0

Revision date: 27 Jul 2024



Note: This product is for research use only.

For Reference Only