

## Beta-1,3-N-Acetylglucosaminyltransferase Radical Fringe (RFNG) Antibody

Catalogue No.:abx028867



Glycosyltransferase that initiates the elongation of O-linked fucose residues attached to EGF-like repeats in the extracellular domain of Notch molecules. May be involved in limb formation and in neurogenesis (By similarity).

Target: Beta-1,3-N-Acetylglucosaminyltransferase Radical Fringe (RFNG)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB

Host: Rabbit

Recommended dilutions: WB: 1/1000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: KLH-conjugated synthetic peptide between 282-310 amino acids from the C-terminal region of

human RFNG.

Isotype: IgG

Form: Liquid

**Purification:** Purified through a protein A column, followed by peptide affinity purification.

**Storage:** Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q9Y644 (<u>UniProt</u>, <u>ExPASy</u>)

Gene Symbol: RFNG

## **Datasheet**

Version: 2.0.0 Revision date: 15 Apr 2025



String: <u>9606.ENSP00000307971</u>

Molecular Weight: Calculated MW: 36.4 kDa

**Buffer:** PBS containing 0.09% sodium azide.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.