


WAP, Kazal, Immunoglobulin, Kunitz And NTR Domain-Containing Protein 2 (WFIKKN2) Antibody

Catalogue No.: abx030260



WB analysis of mouse spleen tissue.

The WFIKKN1 protein contains a WAP domain, follistatin domain, immunoglobulin domain, two tandem Kunitz domains, and an NTR domain. This gene encodes a WFIKKN1-related protein which has the same domain organization as the WFIKKN1 protein. The WAP-type, follistatin type, Kunitz-type, and NTR-type protease inhibitory domains may control the action of multiple types of proteases.

Target:	WAP, Kazal, Immunoglobulin, Kunitz And NTR Domain-Containing Protein 2 (WFIKKN2)
Clonality:	Polyclonal
Reactivity:	Human, Mouse
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	WB: 1/1000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	KLH-conjugated synthetic peptide between 535-564 amino acids from the C-terminal region of human WFIKKN2.
Isotype:	IgG
Form:	Liquid
Purification:	Purified through a protein A column, followed by peptide affinity purification.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q8TEU8 (UniProt , ExPASy)

Datasheet

Version: 5.0.0

Revision date: 13 Mar 2025



Gene Symbol: WFIKKN2

KEGG: hsa:124857

String: [9606.ENSP00000311184](#)

Molecular Weight: Calculated MW: 63.9 kDa

Buffer: PBS containing 0.09% sodium azide.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only