




GP145-TrkC (TRKC) Antibody

Catalogue No.:abx033618







TRKC, a member of the insuline receptor subfamily of Tyr protein kinases, is a receptor for neurotrophin-3 (NT-3). Known substrates for the TRK receptors are SHC, PI-3 kinase, and PLCG1. The different isoforms do not have identical signaling properties. The protein is widely expressed, mainly in the nervous tissue. The isoform B is expressed in a relatively large amount in the adult brain comparatively to fetal brain. TRKC is subject to ligand-mediated auto-phosphorylation. The protein structure contains 2 immunoglobulin-like C2-type domains and 2 leucine-rich (LRR) repeats.

Target: GP145-TrkC (TRKC)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB, IHC

Host: Rabbit

Recommended dilutions: WB: 1/1000, IHC-P: 1/50 - 1/100. Not tested in IHC-F. Optimal dilutions/concentrations should be

determined by the end user.

Conjugation: Unconjugated

Immunogen: KLH-conjugated synthetic peptide between 31-61 amino acids from the N-terminal region of human

TRKC.

Isotype: IgG

1 of 2

Datasheet

Version: 1.0.0 Revision date: 05 Dec 2024



Form: Liquid

Purification: Purified through a protein G column, eluted with high and low pH buffers and neutralized

immediately, followed by dialysis against PBS.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q16288 (UniProt, ExPASy)

KEGG: hsa:4916

String: 9606.ENSP00000354207

Molecular Weight: Calculated MW: 94.4 kDa

Buffer: PBS containing 0.09% sodium azide.

Specificity: Predicted to react with Mouse, Rat, Pig and Monkey NTRK3.

Note: This product is for research use only.