


Tumor Necrosis Factor Receptor Superfamily Member 10D (TNFRSF10D) Antibody

Catalogue No.:abx034407



TNFRSF is a member of the TNF-receptor superfamily. This receptor contains an extracellular TRAIL-binding domain, a transmembrane domain, and a truncated cytoplamic death domain. This receptor does not induce apoptosis, and has been shown to play an inhibitory role in TRAIL-induced cell apoptosis.

Target:	Tumor Necrosis Factor Receptor Superfamily Member 10D (TNFRSF10D)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB, FCM
Host:	Rabbit
Recommended dilutions	: WB: 1/1000, FCM: 1/10 - 1/50. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	KLH-conjugated synthetic peptide between 252-278 amino acids from the Central region of human TNFRSF10D.
lsotype:	IgG

Datasheet Version: 2.0.0 Revision date: 15 Sep 2024



Form:	Liquid
Purification:	Purified through a protein A column, followed by peptide affinity purification.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q9UBN6 (<u>UniProt</u> , <u>ExPASy</u>)
Gene Symbol:	TNFRSF10D
String:	<u>9606.ENSP00000310263</u>
Molecular Weight:	Calculated MW: 41.8 kDa
Buffer:	PBS containing 0.09% sodium azide.
Note:	This product is for research use only.