



Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) Antibody


Catalogue No.: abx174205




Western blot analysis of Human Jurkat cell lysates, using Mouse Anti-Rat PCSK9 Antibody (3 µg/ml) and HRP-conjugated Goat Anti-Mouse antibody ([abx400001](#), 0.2 µg/ml).




Western blot analysis of Human A431 cell lysates, using Mouse Anti-Rat PCSK9 Antibody (3 µg/ml) and HRP-conjugated Goat Anti-Mouse antibody ([abx400001](#), 0.2 µg/ml).



IHC-P analysis of Rat Kidney Tissue, using Mouse Anti-Rat PCSK9 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Mouse antibody ([abx400001](#), 2 µg/ml).



IHC-P analysis of Rat Cerebrum Tissue, using Mouse Anti-Rat PCSK9 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Mouse antibody ([abx400001](#), 2 µg/ml).



IHC-P analysis of Rat Stomach Tissue, using Mouse Anti-Rat PCSK9 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Mouse antibody ([abx400001](#), 2 µg/ml).

Datasheet

Version: 3.0.0
Revision date: 09 Jan 2025



Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) Antibody is a Mouse Monoclonal antibody against Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9).

Target:	Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9)
Clonality:	Monoclonal
Reactivity:	Rat
Tested Applications:	WB, IHC, IF/ICC
Host:	Mouse
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx167796 - Recombinant PCSK9 (Trp164-Phe428) expressed in E. coli
Isotype:	IgG _{2b} Kappa
Form:	Liquid
Purification:	Purified by Protein A and Protein G affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Note:	This product is for research use only.

For Reference Only