


Lymphocyte Activation Gene 3 Protein (LAG3) Antibody

Catalogue No.: abx433580



abx433580 (1 µg/ml) staining of Human Lymph Node (A) and (0.5 µg/ml) Tonsil (B) lysate (35 µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Lymphocyte Activation Gene 3 Protein (LAG3) Antibody is a Goat Polyclonal against Lymphocyte Activation Gene 3 Protein (LAG3).

Target:	Lymphocyte Activation Gene 3 Protein (LAG3)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	P-ELISA, WB
Host:	Goat
Recommended dilutions:	P-ELISA: 1/2000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx617376 - Internal region: EDVSQAQAGTYTCH
Isotype:	IgG
Form:	Liquid
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Gene Symbol:	LAG3
GeneID:	3902

Datasheet

Version: 3.0.0

Revision date: 12 Mar 2025



NCBI Accession: NP_002277.4

Buffer: Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.

Concentration: 0.5 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only