


Fas Apoptotic Inhibitory Molecule 3 / FAIM3 (FCMR) Antibody

Catalogue No.: abx004832



Western blot analysis of various lysates using FAIM3 Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 30s.

Fas Apoptotic Inhibitory Molecule 3 / FAIM3 (FCMR) Antibody is a Rabbit Polyclonal antibody against Fas Apoptotic Inhibitory Molecule 3 / FAIM3 (FCMR). Fc receptors specifically bind to the Fc region of immunoglobulins (Igs) to mediate the unique functions of each Ig class. Fas Apoptotic Inhibitory Molecule 3 / FAIM3 (FCMR) encodes an Fc receptor for IgM .

Target:	Fas Apoptotic Inhibitory Molecule 3 / FAIM3 (FCMR)
Clonality:	Polyclonal
Reactivity:	Human, Mouse, Rat
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	ELISA: 1 µg/ml, WB: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 18-251 of human FAIM3.
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	O60667 (UniProt , ExPASy)
Gene Symbol:	FCMR

Datasheet

Version: 3.0.0
Revision date: 31 Mar 2025



GeneID: [9214](#)

NCBI Accession: NP_005440.1

KEGG: hsa:9214

String: [9606.ENSP00000356058](#)

Molecular Weight: Calculated MW: 43 kDa
Observed MW: 40 kDa

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only