



Pregnancy Zone Protein (PZP) Antibody


Catalogue No.: abx102180




Western blot analysis of (1) Human Serum and (2) Human Lung Tissue.




IHC-P analysis of Human Liver Tissue, with DAB staining, using Rabbit Anti-Human PZP Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Cerebrum Tissue, with DAB staining, using Rabbit Anti-Human PZP Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Cerebrum Tissue, with DAB staining, using Rabbit Anti-Human PZP Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml). PBS was used instead of the primary antibody for the control.




IHC-P analysis of Human Stomach Cancer Tissue, with DAB staining, using Rabbit Anti-Human PZP Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Glioma Tissue, with DAB staining, using Rabbit Anti-Human PZP Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Prostate Cancer Tissue, with DAB staining, using Rabbit Anti-Human PZP Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Pig Liver Tissue, with DAB staining, using Rabbit Anti-Human PZP Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml). PBS was used instead of the primary antibody for the control.



IHC-P analysis of Pig Stomach Tissue, with DAB staining, using Rabbit Anti-Human PZP Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml). PBS was used instead of the primary antibody for the control.



IHC-P analysis of Human Cerebrum Tissue, with DAB staining, using Rabbit Anti-Human PZP Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Polyclonal Antibody to Pregnancy Zone Protein (PZP).

Datasheet

Version: 8.0.0
Revision date: 26 Dec 2024



Target:	Pregnancy Zone Protein (PZP)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx068659 - Recombinant PZP (Val1212-Met1391) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P20742 (UniProt , ExPASy)
Gene Symbol:	PZP
GeneID:	5858
KEGG:	hsa:5858
String:	9606.ENSP00000261336
Buffer:	PBS, pH 7.4, containing 0.02% NaN ₃ , 50% glycerol.
Specificity:	Cross-reacts with Pig PZP.
Concentration:	1 mg/ml
Note:	This product is for research use only.