



Prostatic Acid Phosphatase (ACP3) Antibody


Catalogue No.: abx102963




Western blot analysis of recombinant Mouse PAP/ACP3 Protein.



Western blot analysis of Human PC3 cell lysate, using Rabbit Anti-Mouse PAP/ACP3 Antibody (5 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).



Western blot analysis of Human MCF7 cell lysate, using Rabbit Anti-Mouse PAP/ACP3 Antibody (5 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).



IHC-P analysis of Mouse Skeletal Muscle Tissue, with DAB staining, using Rabbit Anti-Mouse PAP/ACP3 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Prostatic Acid Phosphatase (ACP3) Antibody is a Rabbit Polyclonal Antibody against Prostatic Acid Phosphatase (ACP3).

Target: Prostatic Acid Phosphatase (ACP3)

Clonality: Polyclonal

Reactivity: Mouse

Datasheet

Version: 2.0.0
Revision date: 12 Mar 2025



Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-5 µg/ml, IHC: 5-50 µg/ml, IF/ICC: 5-50 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx167396 - Recombinant ACP3 (Pro56-Glu215) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q8CE08 (UniProt , ExPASy)
Gene Symbol:	ACPP
GenelD:	56318
Ensembl:	ENSMUSG00000032561
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Specificity:	Cross-reacts with Human and Rat PAP/ACP3.
Concentration:	1 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.