



Vascular Cell Adhesion Molecule 1 (VCAM1) Antibody


Catalogue No.: abx103680



Western blot analysis of the recombinant protein.



IHC-P analysis of Rat Testis Tissue, with DAB staining.



IHC-P analysis of Spleen tissue, with DAB staining.

Polyclonal Antibody to Vascular Cell Adhesion Molecule 1 / CD106 (VCAM1).

Target: Vascular Cell Adhesion Molecule 1 (VCAM1)

Clonality: Polyclonal

Reactivity: Rat

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 1.0.0
Revision date: 05 Feb 2025



Immunogen:	VCAM1 (Thr369-Ala658)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P29534 (UniProt , ExPASy)
Gene Symbol:	VCAM1
KEGG:	rno:25361
String:	10116.ENSRNOP00000019377
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration:	0.57 mg/ml
Note:	This product is for research use only.

For Reference Only