



A Disintegrin And Metalloproteinase With Thrombospondin 2 (ADAMTS2) Antibody


Catalogue No.: abx104693




Western blot analysis of recombinant Mouse ADAMTS2.




IHC-P analysis of Mouse Cerebrum Tissue, with DAB staining, using Rabbit Anti-Mouse ADAMTS2 Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Mouse Liver Tissue, with DAB staining, using Rabbit Anti-Mouse ADAMTS2 Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Mouse Uterus Tissue, with DAB staining, using Rabbit Anti-Mouse ADAMTS2 Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Mouse Kidney Tissue, with DAB staining, using Rabbit Anti-Mouse ADAMTS2 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Datasheet

Version: 4.0.0
Revision date: 22 Oct 2024



IHC-P analysis of Mouse Cardiac Muscle Tissue, with DAB staining, using Rabbit Anti-Mouse ADAMTS2 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Polyclonal Antibody to A Disintegrin And Metalloproteinase With Thrombospondin 2 (ADAMTS2).

Target:	A Disintegrin And Metalloproteinase With Thrombospondin 2 (ADAMTS2)
Clonality:	Polyclonal
Reactivity:	Mouse
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-3 µg/ml, IHC: 5-30 µg/ml, IF/ICC: 5-30 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx065077 - Recombinant ADAMTS2 (Val855-Pro1030) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q8C9W3 (UniProt , ExPASy)
Gene Symbol:	ADAMTS2
GeneID:	216725
KEGG:	mmu:216725
String:	10090.ENSMUSP00000040171

Datasheet

Version: 4.0.0
Revision date: 22 Oct 2024



Buffer: PBS, pH 7.4, containing 0.02% NaN₃, 50% glycerol.

Concentration: 0.5 mg/ml

Note: This product is for research use only.

For Reference Only