


## ERBB2 (pS1114) Antibody

Catalogue No.:abx032256



This gene encodes a member of the epidermal growth factor (EGF) receptor family of receptor tyrosine kinases. This protein has no ligand binding domain of its own and therefore cannot bind growth factors. However, it does bind tightly to other ligand-bound EGF receptor family members to form a heterodimer, stabilizing ligand binding and enhancing kinase-mediated activation of downstream signalling pathways, such as those involving mitogen-activated protein kinase and phosphatidylinositol-3 kinase. Allelic variations at amino acid positions 654 and 655 of isoform a (positions 624 and 625 of isoform b) have been reported, with the most common allele, Ile654/Ile655, shown here. Amplification and/or overexpression of this gene has been reported in numerous cancers, including breast and ovarian tumors. Alternative splicing results in several additional transcript variants, some encoding different isoforms and others that have not been fully characterized.

Target:	ERBB2 (pS1114)
Clonality:	Polyclonal
Target Modification:	Ser1114
Modification:	Phosphorylation
Reactivity:	Mouse
Tested Applications:	ELISA, DB
Host:	Rabbit

Recommended dilutions: DB: 1/500. Optimal dilutions/concentrations should be determined by the end user.

Conjugation:	Unconjugated
Immunogen:	KLH-conjugated synthetic phosphopeptide corresponding to amino acid residues surrounding S1114 of mouse ERBB2.
Isotype:	lgG
Form:	Liquid



Purification:	Purified through a protein A column, followed by two-step phosphospecific peptide affinity purification.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P70424 ( <u>UniProt</u> , <u>ExPASy</u> )
KEGG:	mmu:13866
String:	10090.ENSMUSP00000053897
Molecular Weight:	Calculated MW: 139 kDa
Buffer:	PBS containing 0.09% sodium azide.
Specificity:	Predicted to react with Rat Erbb2.
Note:	